


ALUMINIUM DOOR THRESHOLDS - VARIOUS

Inside:


- Ali Door Thresholds Summary
- AM3Ex Door Threshold Inward Opening Doors
- AM5Ex Door Threshold Outward Opening Doors
- AM3Ex Door Threshold Sub Cill Inward Opening Doors
- AM5Ex Door Threshold Sub Cill Outward Opening Doors
- AM3Ex78 Door Threshold Cill Inward Opening Doors
- AM5Ex78 Door Threshold Cill Outward Opening Doors
- OUM 70 RITB Door Threshold REHAU Rio Outward Opening Doors
- OUM 70 RITB Door Threshold Sub Cill Outward Opening Doors
- AM3Ex and AM5Ex Door Threshold for Residence Collection
- AM3Ex and AM5Ex Door Threshold Sub Cill for Residence Collection

For further assistance, call 01702 613733


ALUMINIUM DOOR THRESHOLD SYSTEMS




15mm Low Threshold Single Doors Only, White Gasket Only - Rehau and Calibre




Stormguard AM3Ex 125 Threshold - Open In Black Gasket Only - All uPVC Systems



Stormguard AM3Ex 125 Threshold for cill - Open In Black Gasket Only - All uPVC Systems




Stormguard AM3Ex 78 Threshold - Open In Black Gasket Only - All uPVC Systems




Exitex OUM 70 RITB Threshold - Open Out Black Gasket Only - Rehau Rio Only







Stormguard AM5Ex 125 Threshold - Open Out Black Gasket Only - All uPVC Systems



Stormguard AM5Ex 125 Threshold for cill - Open Out Black Gasket Only - All uPVC Systems



Stormguard AM5Ex 78 Threshold - Open Out Black Gasket Only - All uPVC Systems




Exitex OUM 70 RITB Door Threshold Sub Cill - Open Out Black Gasket Only - Rehau Rio Only

For further assistance, call 01702 613733




AM3Ex 125 DOOR THRESHOLD - INWARD OPENING DOOR

- Suitable for inward opening doors.
- Fully tested resin thermal break.
- Mobility easy access. Can meet Part 'M' requirements when the overall threshold design is specified correctly.
- Designed for door set manufacturers, can be installed as the fourth side of a door frame or retro fitted.
- Thermally broken to meet thermal bridging and insulation requirements, can be used with many different frame and door materials eg. wood, PVCu, fibreglass, aluminium, steel and carbon fibre.



- Designed to fit directly onto level thresholds.
- Ideal for use with carpeted floors. Optional clip-in internal transition ramps also allow use with tiled or wooden floors.
- Non-slip surfaces ensure a safe grip in wet conditions.
- * Available in Matt Aluminium or Matt Gold Effect Aluminium.
- Sizes 1m, 2m and 3m
- Available with black gasket only




For further assistance, call 01702 613733




AM5Ex 125 DOOR THRESHOLD - OUTWARD OPENING DOOR

- Suitable for outward opening doors.
- Fully tested resin thermal break.
- Mobility easy access. Can meet Part 'M' requirements when the overall threshold design is specified correctly.
- Designed for door set manufacturers, can be installed as the fourth side of a door frame or retro fitted.
- Thermally broken to meet thermal bridging and insulation requirements, can be used with many different frame and door materials eg. wood, PVCu, fibreglass, aluminium, steel and carbon fibre.



- Designed to fit directly onto level thresholds.
- Ideal for use with carpeted floors. Optional clip-in internal transition ramps also allow use with tiled or wooden floors.
- Non-slip surfaces ensure a safe grip in wet conditions.
- ❖ Available in Matt Aluminium or Matt Gold Effect Aluminium.
- Sizes 1m, 2m and 3m.
- Available with black gasket only.





For further assistance, call 01702 613733



AM3Ex 125 DOOR THRESHOLD FOR CILL - INWARD OPENING DOOR

- Suitable for inward opening doors.
- With optional clip in transition ramp for wood or tile floors.
- Fully tested resin thermal break.
- Available in Matt Aluminium or Matt Gold Effect Aluminium.
- Sizes 1m, 2m and 3m.
- Compatible with 150mm, 180mm and 225mm cills only - Not compatible with 95mm cill.
- Available with black gasket only





For further assistance, call 01702 613733


www.climatec-windows.co.uk


11-14 Fletchers Square, Temple Farm Industrial Estate, Southend-on-Sea, Essex SS2 5RN



AM5Ex 125 DOOR THRESHOLD FOR CILL - OUTWARD OPENING DOOR

- Suitable for outward opening doors.
- With optional clip in transition ramp for wood or tile floors.
- Fully tested resin thermal break.
- Available in Matt Aluminium or Matt Gold Effect Aluminium.
- Sizes 1m, 2m and 3m.
- Compatible with 150mm, 180mm and 225mm cills only - Not compatible with 95mm cill.
- Available with black gasket only.





For further assistance, call 01702 613733


www.climatec-windows.co.uk

11-14 Fletchers Square, Temple Farm Industrial Estate, Southend-on-Sea, Essex SS2 5RN




AM3Ex 78 DOOR THRESHOLD - INWARD OPENING DOOR

- Suitable for inward opening doors
- Thermally broken to meet thermal bridging and insulation requirements.
- Designed to fit directly onto level thresholds
- Compatible with all cills
- Ideal for use with carpeted floors
- Non-slip surface ensures a safe grip in wet conditions
- Mobility easy access. Can meet Part 'M' requirements when the overall threshold design is specified correctly
- Supplied with end caps to close off the ends of the front channel
- Optional frame infill section that fits into the cill and allows the door frame/sidelight to be fitted on top of the cill without milling the bottom of the frame to the cill profile
- Optional clip in transition ramp for wood or tile floors
- Adjustable locking keeps available for double doors to suit your shoot bolt position
- ❖ Available in Matt Aluminium or Matt Gold Effect Aluminium
- Sizes 1m, 2m and 3m
- Available with black gasket only








For further assistance, call 01702 613733




AM5Ex 78 DOOR THRESHOLD - OUTWARD OPENING DOOR

- Suitable for outward opening doors.
- Thermally broken to meet thermal bridging and insulation requirements.
- Designed to fit directly onto level thresholds
- Compatible with all cills
- Ideal for use with carpeted floors
- Non-slip surface ensures a safe grip in wet conditions
- Mobility easy access. Can meet Part 'M' requirements when the overall threshold design is specified correctly
- Supplied with end caps to close off the ends of the front channel
- Optional clip in transition ramp for wood or tile floors
- Adjustable locking keeps available for double doors to suit your shoot bolt position
- ❖ Available in Matt Aluminium or Matt Gold Effect Aluminium
- Sizes 1m, 2m and 3m
- Available with black gasket only








For further assistance, call 01702 613733



OUM 70 RITB DOOR THRESHOLD - OUTWARD OPENING DOOR

- For use with the REHAU Rio outward opening doors only.
- Option for internal ramp.
- Can meet Part 'M' requirements when the overall threshold design is specified correctly.
- Available in Silver or Gold
- Available with black gasket only.






For further assistance, call 01702 613733



OUM 70 RITB SUBSILL - OUTWARD OPENING DOOR

- For use with the REHAU Rio outward opening doors only.
- Thermally broken prevents condensation
- Option for internal ramp.
- Available in Silver or Gold
- Available with black gasket only.






For further assistance, call 01702 613733



ALUMINIUM DOOR THRESHOLD FOR THE RESIDENCE COLLECTION


AM3Ex DOOR THRESHOLD - INWARD OPENING DOOR

- For use with the R7 and R9 inward opening doors only
- Available in Silver or Gold
- Available with black gasket only
- Option Internal Ramp available
- Mobility easy access. Can meet Part 'M' requirements when the overall threshold design is specified correctly



AM5Ex DOOR THRESHOLD - OUTWARD OPENING DOOR

- For use with the R7 and R9 outward opening doors only
- Available in Silver or Gold
- Available with black gasket only
- Option Internal Ramp available
- Mobility easy access. Can meet Part 'M' requirements when the overall threshold design is specified correctly




For further assistance, call 01702 613733



ALUMINIUM DOOR THRESHOLD WITH CILL FOR THE RESIDENCE COLLECTION


AM3EX SUB CILL DOOR THRESHOLD - INWARD OPENING DOOR

- For use with the R7 and R9 inward opening doors only
- Available in Silver or Gold
- Available with black gasket only
- Option Internal Ramp Available



AM5EX SUB CILL DOOR THRESHOLD - OUTWARD OPENING DOOR

- For use with the R7 and R9 outward opening doors only
- Available in Silver or Gold
- Available with black gasket only
- Option Internal Ramp Available



For further assistance, call 01702 613733