

BAYPOLES AND COUPLINGS - VARIOUS

	Page No
Supplied by REHAU	
- 3mm Coupler	2
- 11mm Coupler	3
- 65mm Coupler	4
- 170° Fixed Angle Bay Pole	5
- 100°-120° Variable Angle Bay Pole	6
- 121°-160° Variable Angle Bay Pole	7
- 134°-160° Variable Angle Bay Pole	8
- 90° Fixed Angle Corner Post	9
- 101°-174° Bay Pole & Adaptor	10
Supplied by Deceuninck	
- 15mm Coupler for use with Deceuninck Slider 24 Doors	11
Supplied by Window Widgets	
- 2mm Decorative Coupler	12
- 10mm Coupler	13
- 10mm Heavy Duty Coupler	14
- 10mm Heavy Duty Plus Coupler	15
- 24mm Coupler	16
- 90° Fixed Angle Corner Post (Calibre)	17
- 90° Decorative Fixed Angle Corner Post	18
- 127°-170° DBO Variable Angle Bay Pole	19
- 91°-126° DBO120 Variable Angle Bay Pole	20
- 171°-179° Variable Angle Bay Pole	21
- 135° Fixed Angle Bay Pole	22
- 150° Fixed Angle Bay Pole	23
- Fixed Angle Bow Bay Pole	24
- 90°-120° and 125°-170° Easy Bay	25
- 120°-160° Vertical Slider Variable Angle Bay Pole	26
- 90° Vertical Slider Fixed Angle Corner Post	27
- 90° Fixed Angle Corner Post (R7)	28
- 90° Fixed Angle Corner Post (R9)	29
- 94°-119° Variable Angle Bay Pole (R7)	30
- 120°-159° Variable Angle Bay Pole (R7)	31
- 160°-179° Variable Angle Bay Pole (R7)	32
- 90°-125° Variable Angle Bay Pole (R9)	33
- 120°-150° Variable Angle Bay Pole (R9)	34
- 150°-179° Variable Angle Bay Pole (R9)	35
- Bay Jacks for Window Widgets & Rehau Poles and Spreader Plates	36

For further assistance, call 01702 613733


www.climatec-windows.co.uk

11-14 Fletchers Square, Temple Farm Industrial Estate, Southend-on-Sea, Essex SS2 5RN



3MM COUPLER (supplied by REHAU)


- For use with Rehau profile.
- Used to couple frames where additional strength is not required
- Finishes available white and all standard colours
- Available for 70mm profile only





11MM COUPLER (supplied by REHAU)


- ❖ Available for REHAU 70mm profile only
- ❖ Double leg clip detail No snapping or braking in cold weather
- Finishes available midnight black, sage green, pebble grey and turner oak





65MM COUPLER (supplied by REHAU)


- For use with Rehau profile.
- Used to couple frames where additional strength is not required
- Finishes available white and selected colours
- Available for 70mm profile only





170° FIXED ANGLE BAY (supplied by REHAU)


- For use with Rehau
- ❖ 170° fixed angle bay has a 6mm per side frame deduction
- Works with angles of 170°
- Finishes available midnight black, sage green, pebble grey and turner oak





100°-120° VARIABLE ANGLE BAY POLE (supplied by REHAU)


- For use with Rehau
- Variable angle baypole.
- ❖ Works with angles from 100° to 120°
- Decorative trims are fitted last, making baypole jack adjustment easy
- Inner trim gives neat detail to inside unlike conventional designs
- This product is loadbearing when assembly is screwed together and bay jack is used
- Finishes available midnight black, sage green, pebble grey and turner oak
- Jack Number 33





121°-134° VARIABLE ANGLE BAY POLE (supplied by REHAU)


- For use with Rehau
- Variable angle baypole
- ❖ Works with angles from 121° to 134°.
- Decorative trims are fitted last, making baypole jack adjustment easy
- Inner trim gives neat detail to inside unlike conventional designs
- This product is loadbearing when assembly is screwed together and bay jack is used
- Finishes available midnight black, sage green, pebble grey and turner oak
- ❖ Jack Number 3





135°-160° VARIABLE ANGLE BAY POLE (supplied by REHAU)


- For use with Rehau
- Variable angle baypole
- ❖ Works with angles from 135° to 160°.
- Decorative trims are fitted last, making baypole jack adjustment easy
- Inner trim gives neat detail to inside unlike conventional designs
- This product is loadbearing when assembly is screwed together and bay jack is used
- Finishes available midnight black, sage green, pebble grey and turner oak
- ❖ Jack Number 3





90° FIXED ANGLE CORNER POST (supplied by REHAU)


- For use with Rehau profile.
- ❖ 90° fixed angle square bay.
- Jack Number 8





101° - 174° BAY POLE AND ADAPTOR (supplied by REHAU)


- For use with Rehau profile.
- ❖ 101° 174° splay bay pole and adaptor.
- Jack Number 6





15MM COUPLER FOR USE WITH DECEUNINCK SLIDER 24 DOORS


- For use with our 70mm systems coupled to Deceuninck Slider 24 doors.
- Finishes available white and all standard colours.
- Available for 70mm profile only





2MM DECORATIVE COUPLER


- Simple 2mm PVCu frame coupler with a decorative feature to the visible faces.
- Used to couple frames where additional strength is not required
- Finishes available white and all standard colours.
- Available for 70mm profile only





10MM COUPLER


- This 10mm Coupler is great for coupling doors to stop 'whip'.
- ❖ Double leg clip detail No snapping or braking in cold weather
- White and coloured foil trims available
- Available for 70mm profile only
- ♣ Load values IX (CM⁴) 11.17 and IY (CM⁴) 0.41





10MM HEAVY DUTY COUPLER

- For use with Rehau and Calibre profile
- This 10mm Coupler is great for coupling doors to stop 'whip'.
- Also used for large window combination screens
- ❖ Double leg clip detail No snapping or braking in cold weather
- White and coloured foil trims available
- Available for 70mm profile only
- ❖ Increased load values IXX (CM⁴) 27.95 and IYY (CM⁴) 0.79



OUTSIDE


For further assistance, call 01702 613733

www.climatec-windows.co.uk



10MM HEAVY DUTY PLUS COUPLER

- For use with Rehau and Calibre profile.
- This 10mm Coupler is great for coupling doors to stop 'whip'.
- Also used for large window combination screens.
- ❖ Double leg clip detail No snapping or braking in cold weather.
- White and coloured foil trims available.
- Available for 70mm profile only.
- ❖ Increased load values IXX (CM⁴) 65.23 and IYY (CM⁴) 1.22.



For further assistance, call 01702 613733


www.climatec-windows.co.uk

11-14 Fletchers Square, Temple Farm Industrial Estate, Southend-on-Sea, Essex SS2 5RN



24MM COUPLER


- For use with Rehau and Calibre 70mm frames.
- Designed as a load bearing coupler when used with a bay jack.
- It has a 24mm frame deduction.
- Frames can be fixed through the frame rebate into the aluminium.
- Finishes available for 70mm frame option in white and all standard colours.
- Jack Number 11





90° FIXED ANGLE CORNER POST (CALIBRE)


- For use with Calibre profile.
- ❖ 90° fixed angle square bay.
- ❖ Jack Number 12





90° DECORATIVE FIXED ANGLE CORNER POST


- For use with Rehau and Calibre profile.
- ❖ 90° fixed angle square bay
- This product is loadbearing when assembly is screwed together and bay jack is used.
- Available with decorative trim.
- Trims are fitted last, making baypole jack adjustment easy.
- Finishes available All standard Colours.
- Jack Number 2





127° - 170° DBO VARIABLE ANGLE BAY POLE

- For use with Rehau and Calibre profile.
- Variable angle baypole.
- ❖ Works with angles from 127° to 170°.
- Decorative trims are fitted last, making baypole jack adjustment easy.
- Inner trim gives neat detail to inside unlike conventional designs.
- This product is loadbearing when assembly is screwed together and bay jack is used.
- Finishes available white and all standard colours.
- Jack Number 2








91° - 126° DBO120 VARIABLE ANGLE BAY POLE


- For use with Rehau and Calibre profile.
- Variable angle baypole.
- ❖ Works with angles from 91° to 126°.
- Decorative trims are fitted last, making baypole jack adjustment easy.
- Inner trim gives neat detail to inside unlike conventional designs.
- This product is loadbearing when assembly is screwed together and bay jack is used.
- Finishes available white and all standard colours.
- ❖ Jack Number 2





171° - 179° VARIABLE ANGLE BAY POLE

- For use with Rehau and Calibre profile.
- Variable angle baypole.
- ❖ Works with angles from 171° to 179°.
- Decorative trims are fitted last, making baypole jack adjustment easy.
- ❖ Inner trim gives neat detail to inside unlike conventional designs.
- This product is loadbearing when assembly is screwed together and bay jack is used.
- Finishes available white and all standard colours.
- Jack Number 19








135° FIXED ANGLE BAY POLE

- For use with Rehau and Calibre profile.
- ❖ 135° fixed angle bay has a 6mm per side frame deduction.
- Works with angles from 134° 136°
- PVCu covers are fitted last making adjustment of bay jacks easier.
- This product is loadbearing when used with a bay jack.
- Finishes available in white and all standard colours.
- Jack Number 4










150° FIXED ANGLE BAY POLE

- For use with Rehau and Calibre profile.
- ❖ 150° fixed angle bay has a 10.5mm per side frame deduction.
- Works with angles from 149° 151°
- PVCu covers are fitted last making adjustment of bay jacks easier.
- This product is loadbearing when used with a bay jack.
- Finishes available white and all standard colours.
- ❖ Jack Number 35










FIXED ANGLE BOW BAY POLE


- For use with Rehau and Calibre profile.
- ❖ Works with angles from 152° 179°.
- Designed for non loadbearing 70mm bow bay installations.
- Adding a 2mm sightline to the frame sizes for this common newbuild style where sightline is often a problem.
- Finishes available white and all standard colours.






90° - 120° EASY BAY 125° - 170° EASY BAY

- For use with Rehau 70mm profile only.
- ❖ 90° 120° Easy Bay and 125° 170° Easy Bay available.
- This product is loadbearing when used with a bay jack.
- Finishes available white and all standard colours.
- Jack Number 3





For further assistance, call 01702 613733


www.climatec-windows.co.uk



120° - 160° VERTICAL SLIDER VARIABLE ANGLE BAY POLE

- For use with Rehau Heritage profile only.
- Variable angle baypole.
- ❖ Works with angles from 120° to 160°.
- Decorative trims are fitted last, making baypole jack adjustment easy.
- Inner trim gives neat detail to inside unlike conventional designs.
- This product is loadbearing when assembly is screwed together and bay jack is used.
- Finishes available white and whitegrain
- Jack Number 7






For further assistance, call 01702 613733

www.climatec-windows.co.uk



VERTICAL SLIDER 90° FIXED ANGLE CORNER POST


- For use with Rehau Vertical Slider profile.
- ❖ 90° fixed angle square bay.
- Finishes available white and whitegrain
- Jack Number 7





R7 90° FIXED ANGLE CORNER POST


- For use with Residence R7 profile.
- ❖ 90° fixed angle square bay.
- Finishes available white and all standard colours.
- Jack Number 18





R9 90° FIXED ANGLE CORNER POST


- For use with Residence R9 profile.
- ❖ 90° fixed angle square bay.
- Finishes available All standard colours.
- Jack Number 7





94° - 119° VARIABLE ANGLE BAY POLE - R7


- For use with Residence R7 Profile
- Variable angle baypole.
- ❖ Works with angles from 94° to 119°.
- Decorative trims are fitted last, making baypole jack adjustment easy.
- Inner trim gives neat detail to inside unlike conventional designs.
- This product is loadbearing when assembly is screwed together and bay jack is used.
- Finishes available white and all standard colours.
- ❖ Jack Number 2





120° - 159° VARIABLE ANGLE BAY POLE - R7


- For use with Residence R7 Profile
- Variable angle baypole.
- ❖ Works with angles from 120° to 159°.
- Decorative trims are fitted last, making baypole jack adjustment easy.
- Inner trim gives neat detail to inside unlike conventional designs.
- This product is loadbearing when assembly is screwed together and bay jack is used.
- Finishes available white and all standard colours.
- Jack Number 18





160° - 179° VARIABLE ANGLE BAY POLE - R7


- For use with Residence R7 Profile
- Variable angle baypole.
- ❖ Works with angles from 160° to 179°.
- Decorative trims are fitted last, making baypole jack adjustment easy.
- Inner trim gives neat detail to inside unlike conventional designs.
- This product is loadbearing when assembly is screwed together and bay jack is used.
- Finishes available white and all standard colours.
- Jack Number 19





90° - 125° VARIABLE ANGLE BAY POLE - R9


- For use with Residence R9 Profile
- Variable angle baypole.
- ❖ Works with angles from 90° to 125°.
- Inner trim gives neat detail to inside unlike conventional designs.
- No External Cover available
- This product is loadbearing when assembly is screwed together and bay jack is used.
- Finishes available All standard colours.
- ❖ Jack Number 2





120° - 150° VARIABLE ANGLE BAY POLE - R9


- For use with Residence R9 Profile
- Variable angle baypole.
- ❖ Works with angles from 120° to 150°.
- Decorative trims are fitted last, making baypole jack adjustment easy.
- Inner trim gives neat detail to inside unlike conventional designs.
- This product is loadbearing when assembly is screwed together and bay jack is used.
- Finishes available All standard colours.
- Jack Number 7





150° - 179° VARIABLE ANGLE BAY POLE - R9

- For use with Residence R9 Profile
- Variable angle baypole.
- ❖ Works with angles from 150° to 179°.
- Decorative trims are fitted last, making baypole jack adjustment easy.
- Inner trim gives neat detail to inside unlike conventional designs.
- This product is loadbearing when assembly is screwed together and bay jack is used.
- Finishes available All standard colours.
- Jack Number 19






BAY JACKS FOR WINDOW WIDGETS AND REHAU POLES AND SPREADER PLATES

- Baypole jacks are FENSA compliant.
- Manufactured from Stainless Steel 304, the bases are designed to fit under the cill.
- ❖ The M16 thread pushes up through a hole drilled in the cill and the locknut and capstain wind onto the thread to support your pole.
- ❖ A spreaderplate for the top of the pole is also supplied so only one jack per pole is needed.




TECHNICAL SPECIFICATION

- Testing Random tested to 4 tonnes compressions.
- Loading Vertically applied loads of up to 2 Tonnes are permissible.
- Materials Bases are manufactured from Stainless Steel 304. Capstains are made from aluminium or zinc plated mild steel.
- Locknuts All jacks are supplied with Stainless Steel 304 locknuts, which should always be used.



3mm thick stainless steel spreaderplate for spreading loads.

Ideal for packing under jacks or poles when the brick is uneven or in poor condition.



For non Window Widgets / Rehau poles, see the individual spec sheet.

For further assistance, call 01702 613733

www.climatec-windows.co.uk