

SINGLE RESIDENTIAL DOOR LOCKS - VARIOUS

Inside:

- Yale Mantis 3 Multi-point Door Lock
- Fuhr 2 Hooks, 2 Cams Door Lock
- Fuhr 2 Roundbolts, 2 Cams Door Lock
- Fuhr 4 Hooks Door Lock
- Fuhr 2 Hooks, 2 Cams Internal Restrictor



For further assistance, call 01702 613733

www.climatec-windows.co.uk

11-14 Fletchers Square, Temple Farm Industrial Estate, Southend-on-Sea, Essex SS2 5RN

YALE MANTIS 3 MULTI-POINT DOOR LOCK

- High security single door system
- 25mm deep throw anti lift security hooks
- 22mm security compression bolts
- Key operated centre deadbolt
- Roller cams
- 35mm backset
- Sprung centre cases
- Industry standard PZ92mm centre case
- Stainless steel 16mm face plates
- British Built



For further assistance, call **01702 613733**


www.climatec-windows.co.uk

11-14 Fletchers Square, Temple Farm Industrial Estate, Southend-on-Sea, Essex SS2 5RN

FUHR 2 HOOKS, 2 CAMS DOOR LOCK


- Day latch retention facility to avoid inadvertent lock out
- Reversible latch
- Latch sealing pressure adjustable via profile related plates
- Adjustable brass roller cams +/- 1mm provide consistently smooth and reliable engagement into plates
- Roller cam travel 19mm
- Steel hook bolt throw 20mm with lockout for strength and security
- Hook bolt sealing pressure adjustable via profile related plates
- Deadbolt throw - 20mm (Backset 35mm)
- Profile related plates

KEEPS



SPLIT SPINDLE IDENTIFICATION

Yellow Bichromate - Inside
Blue Galvanised - Outside



For further assistance, call 01702 613733


www.climatec-windows.co.uk

11-14 Fletchers Square, Temple Farm Industrial Estate, Southend-on-Sea, Essex SS2 5RN

FUHR 2 ROUND BOLTS, 2 CAMS DOOR LOCK

- Reversible latch
- Latch sealing pressure adjustable via profile related plates
- Adjustable brass roller cams +/- 1mm provide consistently smooth and reliable engagement into plates
- Roller cam travel 19mm
- Steel round deadbolt throw 20mm with lockout for strength and security
- Deadbolt throw - 20mm (Backset 35mm, 40mm)
- Multipoint function provides enhanced noise reduction and heat insulation
- Profile related plates
- 20mm flat faceplate, 24mm x 6mm U-rail faceplate
- Not available as split spindle

KEEPS



For further assistance, call 01702 613733


www.climatec-windows.co.uk

11-14 Fletchers Square, Temple Farm Industrial Estate, Southend-on-Sea, Essex SS2 5RN

FUHR 4 HOOKS DOOR LOCK


- Day latch retention facility to avoid inadvertent lock out
- Reversible latch
- Latch sealing pressure adjustable via profile related plates
- Steel hook bolt throw 20mm with lockout for strength and security
- Hook bolt sealing pressure adjustable via profile related plates
- Deadbolt throw - 20mm (Backset 35mm)
- Profile related plates

KEEPS



SPLIT SPINDLE IDENTIFICATION

Yellow Bichromate - Inside
Blue Galvanised - Outside



For further assistance, call 01702 613733


www.climatec-windows.co.uk

11-14 Fletchers Square, Temple Farm Industrial Estate, Southend-on-Sea, Essex SS2 5RN

FUHR 2 HOOKS, 2 CAMS INTERNAL RESTRICTOR

- Added security for front doors.
- Integral restrictor enables partial opening without compromising security
- Lever operated and split spindle locks can be offered with a built in opening restrictor
- The restrictor engages simply with a turn of the knob, allowing the door to be partially opened
- The door has to be closed and the restrictor disengaged and re-opened before a visitor can gain access
- Thumb turn handles available in white, chrome or gold

KEEPS



For further assistance, call 01702 613733

www.climatec-windows.co.uk

11-14 Fletchers Square, Temple Farm Industrial Estate, Southend-on-Sea, Essex SS2 5RN