


INLINE FRAME COUPLINGS - VARIOUS

	Page No
Supplied by REHAU	
- 3mm Coupler	2
- 11mm Coupler	3
- 65mm Coupler	4
Supplied by Deceuninck	
- 15mm Coupler for use with Deceuninck Slider 24 Doors	5
Supplied by Window Widgets	
- 2mm Decorative Coupler	6
- 10mm Coupler	7
- 10mm Heavy Duty Coupler	8
- 10mm Heavy Duty Plus Coupler	9
- 24mm Coupler	10



3MM COUPLER (supplied by REHAU)


- For use with Rehau profile.
- Used to couple frames where additional strength is not required
- Finishes available white and all standard colours
- Available for 70mm profile only





11MM COUPLER (supplied by REHAU)


- ❖ Available for REHAU 70mm profile only
- ❖ Double leg clip detail No snapping or braking in cold weather
- Finishes available midnight black, sage green, pebble grey and turner oak





65MM COUPLER (supplied by REHAU)


- For use with Rehau profile.
- Used to couple frames where additional strength is not required
- Finishes available white and selected colours
- Available for 70mm profile only





15MM COUPLER FOR USE WITH DECEUNINCK SLIDER 24 DOORS


- For use with our 70mm systems coupled to Deceuninck Slider 24 doors.
- Finishes available white and all standard colours.
- Available for 70mm profile only





2MM DECORATIVE COUPLER


- Simple 2mm PVCu frame coupler with a decorative feature to the visible faces.
- Used to couple frames where additional strength is not required
- Finishes available white and all standard colours.
- Available for 70mm profile only





10MM COUPLER


- This 10mm Coupler is great for coupling doors to stop 'whip'.
- ❖ Double leg clip detail No snapping or braking in cold weather
- White and coloured foil trims available
- Available for 70mm profile only
- ♣ Load values IX (CM⁴) 11.17 and IY (CM⁴) 0.41






10MM HEAVY DUTY COUPLER

- For use with Rehau and Calibre profile
- This 10mm Coupler is great for coupling doors to stop 'whip'.
- Also used for large window combination screens
- ❖ Double leg clip detail No snapping or braking in cold weather
- White and coloured foil trims available
- Available for 70mm profile only
- ❖ Increased load values IXX (CM⁴) 27.95 and IYY (CM⁴) 0.79



INSIDE



OUTSIDE

For further assistance, call 01702 613733


www.climatec-windows.co.uk

11-14 Fletchers Square, Temple Farm Industrial Estate, Southend-on-Sea, Essex SS2 5RN



10MM HEAVY DUTY PLUS COUPLER

- For use with Rehau and Calibre profile.
- This 10mm Coupler is great for coupling doors to stop 'whip'.
- Also used for large window combination screens.
- ❖ Double leg clip detail No snapping or braking in cold weather.
- White and coloured foil trims available.
- Available for 70mm profile only.
- ❖ Increased load values IXX (CM⁴) 65.23 and IYY (CM⁴) 1.22.



For further assistance, call 01702 613733

www.climatec-windows.co.uk



24MM COUPLER

- For use with Rehau and Calibre 70mm frames.
- Designed as a load bearing coupler when used with a bay jack.
- It has a 24mm frame deduction.
- Frames can be fixed through the frame rebate into the aluminium.
- Finishes available for 70mm frame option in white and all standard colours.
- Jack Number 11

